

The background features a collage of various scientific and technical diagrams. At the top left, there is a waveform graph with a grid and a table of data. To its right is a circular diagram with concentric circles and radial lines, labeled with 'X' and 'Y' axes. Below the waveform is a 3D wireframe model of a complex, multi-lobed structure. In the bottom right, there is a large circular diagram with many radial lines, resembling a sunburst or a complex polar plot. The text 'PEMF Research' is centered over these diagrams.

# PEMF Research

**TeslaFit**

Proven intensities. Rapid results.

# Table of Contents

1. PEMF THERAPY MECHANISMS IN GENERAL
2. ARTHRITIS
3. CELL REGENERATION
4. CIRCULATION
5. DEPRESSION
6. DIABETES
7. EDEMA
8. ENDOMETRIOSIS
9. FIBROMYALGIA
10. GLAUCOMA
11. ORTHOPEDIC / BONE HEALING
12. SKIN WOUND HEALING
13. HEMATOMA
14. HYPERTENSION
15. LYMPHOCYTES
16. MIGRAINE
17. MULTIPLE SCLEROSIS
18. NERVE REPAIR
19. NERVOUS SYSTEM
20. NEUROPATHY
21. OSTEOPOROSIS
22. PAIN
23. PARKINSON'S DISEASE
24. PELVIC PAIN
25. RANGE OF MOTION
26. TENDONITIS
27. ULCERS
28. VISION
29. PEMF DEVICES FOR LOW, MEDIUM & HIGH-INTENSITY USE

**TeslaFit**

Proven intensities. Rapid results.

# PEMF therapy mechanisms in General

- Pulsed Electromagnetic Field Therapy (PEMFT) is astoundingly powerful and side-effect free healing modality
- PEMFT has been in active research and development since more than five decades, with research starting in Eastern Europe & Russia
- All our cells function as well as repair and regenerate using electromagnetic fields, by optimizing these fields you get optimal function and repair, to a huge extent PEMFs can be used to accelerate and enhance healing as well
- The research studies in this report can all be found on [PubMed](#) by searching for the title
- We do not in anyway claim that our products can be used to achieve similar effects

**TeslaFit**

Proven intensities. Rapid results.

# PEMF therapy mechanisms in General

## ***Evolution of magnetic therapy from alternative to traditional medicine***

Vallbona C, Richards T.; Department of Family and Community Medicine, Baylor College of Medicine, Houston, Texas, USA.

## ***Equipment design for magnetic therapy and "Polus" devices Viktorov VA, Malkov IuV. Beneficial effects of electromagnetic fields***

Bassett CA., Bioelectric Research Center, Columbia University, Riverdale, New York 10463.

## ***Clinical effectiveness of magnetic field therapy—a review of the literature***

Quittan M, Schuhfried O, Wiesinger GF, Fialka-Moser V.; Universitätsklinik für Physikalische Medizin und Rehabilitation, Wien.

## ***Theoretical and practical aspects of general magnetotherapy***

[Article in Russian] Ulashchik VS.

## ***Possible therapeutic applications of pulsed magnetic fields***

[Article in Czech] Navratil L, Hlavaty V, Landsingerova E.

**TeslaFit**

Proven intensities. Rapid results.

# PEMF therapy mechanisms in General

## **Pulsed magnetotherapy in Czechoslovakia—a review.**

Jerabek J. National Institute of Public Health, Praha, Czech Republic.

## **Electro-Magnetic fields and magnets. Investigational treatment for musculoskeletal disorders**

Trock DH.; Yale University School of Medicine, New Haven, Connecticut, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Arthritis

***A study of the effects of Pulsed Electro- Magnetic Field Therapy with respect to serological grouping in rheumatoid arthritis***

Ganguly KS, Sarkar AK, Datta AK, Rakshit A. National Institute for the Orthopaedically Handicapped (NIOH), Calcutta.

***A case of congenital pseudarthrosis of the tibia treated with Pulsing Electro- Magnetic Fields. 17-year follow-up***

Ito H, Shirai Y, Gembun Y. Department of Orthopaedic Surgery, Nippon Medical School, Tokyo, Japan.

***A double-blind trial of the clinical effects of electro-magnetic fields in osteoarthritis***

Trock DH, Bollet AJ, Dyer RH Jr, Fielding LP, Miner WK, Markoll R. Department of Medicine (Rheumatology), Danbury Hospital, CT 06810.

***The effect of Pulsed Electro-Magnetic Fields in the treatment of osteoarthritis of the knee and cervical spine. Report of randomized, double blind, placebo controlled trials***

Trock DH, Bollet AJ, Markoll R. Department of Medicine, Danbury Hospital.

**TeslaFit**

Proven intensities. Rapid results.

# Arthritis

***The effect of Pulsed Electro-Magnetic Fields in the treatment of osteoarthritis of the knee and cervical spine. Report of randomized, double blind, placebo controlled trials***

Trock DH, Bollet AJ, Markoll R. Department of Medicine, Danbury Hospital.

***Magnetic pulse treatment for knee osteoarthritis: a randomized, double-blind, placebo-controlled study***

Pipitone N, Scott DL. Rheumatology Department, King's College Hospital (Dulwich), London, UK.

***Electro-Magnetic fields for the treatment of osteoarthritis***

Hulme J, Robinson V, DeBie R, Wells G, Judd M, Tugwell P. Cochrane Collaborating Center, Center for Global Health, Institute of Population Health - University of Ottawa, 1 Stewart Street, Ottawa, Ontario, Canada, K1N 6N5.

***Modification of osteoarthritis by Pulsed Electro-Magnetic Field—a morphological study***

Ciombor DM, Aaron RK, Wang S, Simon B.; Department of Orthopaedics, Brown Medical School, Providence, RI 02906.

**TeslaFit**

Proven intensities. Rapid results.

# Arthritis

## ***Pulsed magnetic field therapy for osteoarthritis of the knee—a double-blind sham-controlled trial***

Nicolakis P, Kollmitzer J, Crevenna R, Bittner C, Erdogmus CB, Nicolakis J. Department of Physical Medicine and Rehabilitation, AKH Wien, University of Vienna, Vienna, Austria.

## ***Therapeutic effects of pulsed magnetic fields on joint diseases***

Riva Sanseverino E, Vannini A, Castellacci P., Universita di Bologna, Italy.

**TeslaFit**

Proven intensities. Rapid results.



# Cell Regeneration

## ***Effect of external Pulsing Electro- Magnetic Fields on the healing of soft tissue***

Glassman LS, McGrath MH, Bassett CA. Division of Plastic Surgery, Montefiore Medical Center, Albert Einstein College of Medicine, New York, NY.

## ***Pulsing Electro-Magnetic field therapy in nerve regeneration: an experimental study in the cat***

Orgel MG, O'Brien WJ, Murray HM.

## ***Effect of Pulsed Electro-Magnetic Fields (PEMF) on osteoblast-like cells***

Satake T. Department of Oral Biochemistry, Kanagawa Dental College.

**TeslaFit**

Proven intensities. Rapid results.

# Circulation

## ***Microcirculatory effects of Pulsed Electro-Magnetic Fields***

Smith TL, Wong-Gibbons D, Maultsby J. Department of Orthopaedic Surgery, Wake Forest University School of Medicine, Medical Center Blvd., Winston-Salem, NC 27157-1070, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Depression

## ***Influence of electro-magnetic fields on the emotional behavior of rats***

[Article in Russian] Semenova TP, Medvinskaia NI, Bliskovka GI, Akoev IG. Institute of Cell Biophysics, Russian Academy of Sciences, Pushchino, Moscow region, 142290 Russia.

## ***Combining high and low frequencies in rTMS antidepressive treatment: preliminary results***

Conca A, Di Pauli J, Beraus W, Hausmann A, Peschina W, Schneider H, Konig P, Hinterhuber H. Departments of Psychiatry I and II, Regional Hospital, 6830 Rankweil, Austria.

## ***Effect of Pulsed Electro-Magnetic Fields (PEMF) on late-phase osteotomy gap healing in a canine tibial model***

Inoue N, Ohnishi I, Chen D, Deitz LW, Schwardt JD, Chao EY.

## ***Autoradiographic evaluation of electro-magnetic field effects on serotonin (5HT1A) receptors in rat brain***

Johnson MT, McCullough J, Nindl G, Chamberlain JK. Terre Haute Center for Medical Education, Indiana University School of Medicine, Terre Haute, IN 47809, USA. [Pubmed]

**TeslaFit**

Proven intensities. Rapid results.

# Diabetes

***The use of Pulsed Electro-Magnetic Fields with complex modulation in the treatment of patients with diabetic polyneuropathy***

Science Research Institute of Medical Rehabilitation, Baku, Azerbaidzhan

***H-coil repetitive transcranial magnetic stimulation for pain relief in patients with diabetic neuropathy.***

Onesti E, Gabriele M, Cambieri C, Ceccanti M, Raccah R, Di Stefano G, Biasiotta A, Truini A, Zangen A, Inghilleri M.

***Evaluation of the efficacy of pulsed electromagnetic field in the management of patients with diabetic polyneuropathy.***

Graak V, Chaudhary S, Bal BS, Sandhu JS.

***Application of impulse complex modulated electromagnetic fields in management of patients with diabetic polyneuropathy***

Musaev AV, Guseinova SG, Imamverdieva SS. [Article in Russian]

**TeslaFit**

Proven intensities. Rapid results.

# Edema

***Low frequency and low intensity Pulsed Electro-Magnetic Field exerts its anti-inflammatory effect through restoration of plasma membrane calcium ATPase activity***

Selvam R, Ganesan K, Narayana Raju KV, Gangadharan AC, Manohar BM, Puvanakrishnan R. Department of Pharmacology and Toxicology, Madras Veterinary College, Vepery, Chennai, India.

***Protection against focal cerebral ischemia following exposure to a Pulsed Electro- Magnetic Field***

Grant G, Cadossi R, Steinberg G. Department of Neurosurgery, Stanford University, California 94305.

**TeslaFit**

Proven intensities. Rapid results.

# Endometriosis

***A low-frequency alternating magnetic field, a supersonic-frequency current and interference currents in the combined treatment of chronic nonspecific endometritis***

Strugatskii VM, Popovich LS.

***Electrochemical therapy of pelvic pain: effects of pulsed electromagnetic fields (PEMF) on tissue trauma.***

Jorgensen WA, Frome BM, Wallach C.

International Pain Research Institute, Los Angeles, California.

***Effects of percutaneous tibial nerve stimulation therapy on chronic pelvic pain.***

Gokyildiz S1, Kizilkaya Beji N, Yalcin O, Istek A

***Refractory chronic pelvic pain syndrome in men: can transcutaneous electrical nerve stimulation help?***

Schneider MP1, Tellenbach M, Mordasini L, Thalmann GN, Kessler TM.

**TeslaFit**

Proven intensities. Rapid results.

# Endometriosis

***A low-frequency alternating magnetic field, a supersonic-frequency current and interference currents in the combined treatment of chronic nonspecific endometritis***

Strugatskii VM, Popovich LS.

***Electrochemical therapy of pelvic pain: effects of pulsed electromagnetic fields (PEMF) on tissue trauma.***

Jorgensen WA, Frome BM, Wallach C.

International Pain Research Institute, Los Angeles, California.

***Effects of percutaneous tibial nerve stimulation therapy on chronic pelvic pain.***

Gokyildiz S1, Kizilkaya Beji N, Yalcin O, Istek A

***Refractory chronic pelvic pain syndrome in men: can transcutaneous electrical nerve stimulation help?***

Schneider MP1, Tellenbach M, Mordasini L, Thalmann GN, Kessler TM.

**TeslaFit**

Proven intensities. Rapid results.

# Fibromyalgia

***A low-frequency alternating magnetic field, a supersonic-frequency current and interference currents in the combined treatment of chronic nonspecific endometritis***

Strugatskii VM, Popovich LS.

***Electrochemical therapy of pelvic pain: effects of pulsed electromagnetic fields (PEMF) on tissue trauma.***

Jorgensen WA, Frome BM, Wallach C.

International Pain Research Institute, Los Angeles, California.

***Effects of percutaneous tibial nerve stimulation therapy on chronic pelvic pain.***

Gokyildiz S1, Kizilkaya Beji N, Yalcin O, Istek A

***Refractory chronic pelvic pain syndrome in men: can transcutaneous electrical nerve stimulation help?***

Schneider MP1, Tellenbach M, Mordasini L, Thalmann GN, Kessler TM.

***Exposure to a specific pulsed low-frequency magnetic field: a double-blind placebo-controlled study of effects on pain ratings in rheumatoid arthritis and fibromyalgia patients.***

Shupak N, McKay J, Nielson W, Rollman G, Prato F, Thomas A. [[PubMed](#)]

**TeslaFit**

Proven intensities. Rapid results.



# GLAUCOMA

***The effect of a Pulsed Electro-Magnetic Field on the hemodynamics of eyes with glaucoma***

Tsisel'ski IuV, Kashintseva LT, Skrinnik AV. Russian.

***Magnetotherapy designed to affect cervical sympathetic ganglia for the treatment of patients with primary open-angle glaucoma***

Veselova EV, Kamenskikh TG, Raĭgorodkiĭ IuM, Kolbenev IO, Myshkina ES.

***The characteristics of the geroprotective action of magnetotherapy in elderly patients with combined cardiovascular pathology.***

Abramovich SG, Fedotchenko AA, Koriakina AV, Pogodin KV, Smirnov SN.

***The effect of a pulsed electromagnetic field on the hemodynamics of eyes with glaucoma.***

Tsisel'skiĭ IuV, Kashintseva LT, Skrinnik AV.

***Effectiveness of magnetotherapy in optic nerve atrophy. A preliminary study.***

Zobina LV, Orlovskaia LS, Sokov SL, Sabaeva GF, Kondé LA, Iakovlev AA.

**TeslaFit**

Proven intensities. Rapid results.

# GLAUCOMA

***The effect of a Pulsed Electro-Magnetic Field on the hemodynamics of eyes with glaucoma***

Tsisel'ski IuV, Kashintseva LT, Skrinnik AV. Russian.

***Magnetotherapy designed to affect cervical sympathetic ganglia for the treatment of patients with primary open-angle glaucoma***

Veselova EV, Kamenskikh TG, Raĭgorodkiĭ IuM, Kolbenev IO, Myshkina ES.

***The characteristics of the geroprotective action of magnetotherapy in elderly patients with combined cardiovascular pathology.***

Abramovich SG, Fedotchenko AA, Koriakina AV, Pogodin KV, Smirnov SN.

***The effect of a pulsed electromagnetic field on the hemodynamics of eyes with glaucoma.***

Tsisel'skiĭ IuV, Kashintseva LT, Skrinnik AV.

***Effectiveness of magnetotherapy in optic nerve atrophy. A preliminary study.***

Zobina LV, Orlovskaia LS, Sokov SL, Sabaeva GF, Kondé LA, Iakovlev AA.

**TeslaFit**

Proven intensities. Rapid results.

# Orthopedic / Bone Healing

***Magnetic fields in physical therapy. Experience in orthopedics and traumatology rehabilitation***

[Article in Italian], Borg MJ, Marcuccio F, Poerio AM, Vangone A.

***Therapeutic effects of electro-magnetic fields in the stimulation of connective tissue repair***

Aaron RK, Ciombor DM., Department of Orthopaedics, Brown University, Providence, Rhode Island 00928.

***Pseudarthrosis after lumbar spine fusion: non-operative salvage with Pulsed Electro-Magnetic Fields***

Simmons JW Jr, Mooney V, Thacker I. UTMB, Galveston, Texas, USA.

***Effects of static magnetic and Pulsed Electro-Magnetic Fields on bone healing***

Darendeliler MA, Darendeliler A, Sinclair PM. Discipline of Orthodontics, Faculty of Dentistry, University of Sydney, Australia.

***Pulsed Electro-Magnetic Fields for the treatment of bone fractures***

Satter Syed A, Islam MS, Rabbani KS, Talukder MS. Industrial Physics Division, BCSIR Laboratories, Dhaka.

**TeslaFit**

Proven intensities. Rapid results.

# Orthopedic / Bone Healing

## ***Effects of pulsed magnetic energy on a microsurgically transferred vessel***

Roland D, Ferder M, Kothuru R, Faierman T, Strauch B. Department of Plastic and Reconstructive Surgery at the Albert Einstein College of Medicine, Bronx, NY, USA.

## ***Exposure to pulsed magnetic fields enhances motor recovery in cats after spinal cord injury***

Crowe MJ, Sun ZP, Battocletti JH, Macias MY, Pintar FA, Maiman DJ. Neuroscience Research Laboratories, The Clement J. Zablocki VA Medical Center, Milwaukee, WI 53295, USA.

## ***Treatment of non-union of bone fractures by pulsing electro-magnetic fields***

Hutchings J.

**TeslaFit**

Proven intensities. Rapid results.

# Skin Wound Healing

## ***The influence of pulsed electrical stimulation on the wound healing of burned rat skin***

Castillo E, Sumano H, Fortoul TI, Zepeda A. Department of Physiology and Pharmacology, School of Veterinary Medicine, National Autonomous University of Mexico, Mexico, D.F.

## ***Effect of low frequency Pulsing Electro- Magnetic Fields on skin ulcers of venous origin in humans: a double-blind study***

Ieran M, Zaffuto S, Bagnacani M, Annovi M, Moratti A, Cadossi R. Department of Medical Angiology, Arcispedale S. Maria Nuova, Reggio Emilia, Italy.

## ***Pulsed Electro-Magnetic Fields in experimental cutaneous wound healing in rats***

Patino O, Grana D, Bolgiani A, Prezzavento G, Mino J, Merlo A, Benaim F. Department of Postgraduate Reconstructive and Plastic Surgery.

## ***Effects of pulsed extremely-low-frequency magnetic fields on skin wounds in the rat***

Ottani V, De Pasquale V, Govoni P, Franchi M, Zaniol P, Ruggeri A. Istituto di Anatomia Umana Normale, Bologna, Italy.

**TeslaFit**

Proven intensities. Rapid results.

# Skin Wound Healing

## ***Effects of magnetic fields on skin wound healing. Experimental study***

[Article in Spanish] Patino O, Grana D, Bolgiani A, Prezzavento G, Mino J, Merlo A, Benaim F. Department of Postgraduate Reconstructive and Plastic Surgery, Universidad del Salvador and Fundacion del Quemado.

## ***Effects of Pulsed Electro-Magnetic Fields on rat skin metabolism***

De Loecker W, Delpont PH, Cheng N. Afdeling Biochemie, Katholieke Universiteit te Leuven, Belgium.

**TeslaFit**

Proven intensities. Rapid results.

# Hematona

***Electrochemical therapy of pelvic pain: effects of Pulsed Electro-Magnetic Fields (PEMF) on tissue trauma***  
Jorgensen WA, Frome BM, Wallach C. International Pain Research Institute, Los Angeles, California.

**TeslaFit**

Proven intensities. Rapid results.

# Hypertension

***The treatment of hypertension patients with electro-magnetic and magnetic fields***

Orzheshkovskii VV, Chopchik DI, Paramonchik VM, Fastykovskii AD, Kovalenko VP.

**TeslaFit**

Proven intensities. Rapid results.



# Lymphocytes

## ***Effect of bio-resonance therapy on antioxidant system in lymphocytes in patients with rheumatoid arthritis***

Islamov BI, Balabanova RM, Funtikov VA, Gotovskii YV, Meizerov EE. Institute of Theoretical and Experimental Biophysics, Russian Academy of Sciences, Pushchino, Russia.

## ***The effect of exposure to high flux density static and pulsed magnetic fields on lymphocyte function***

Aldinucci C, Garcia JB, Palmi M, Sgaragli G, Benocci A, Meini A, Pessina F, Rossi C, Bonechi C, Pessina GP; Department of Physiology, University of Siena, Siena, Italy.

**TeslaFit**

Proven intensities. Rapid results.

# Migraine

## ***Initial exploration of Pulsing Electro-Magnetic Fields for treatment of migraine***

Sherman RA, Robson L, Marden LA. Service of Orthopedic Surgery, Madigan Army Medical Center, Tacoma, Wash. 98431, USA.

## ***Treatment of migraine with Pulsing Electro-Magnetic Fields: a double-blind, placebo-controlled study***

Sherman RA, Acosta NM, Robson L. Orthopedic Surgery Service, Madigan Army Medical Center, Tacoma, WA 98431, USA.

## ***Impulse magnetic-field therapy for migraine and other headaches: a double-blind, placebo-controlled study***

Pelka RB, Jaenicke C, Gruenwald J. Universitat der Bundeswehr Munchen Munich, Germany.

**TeslaFit**

Proven intensities. Rapid results.

# Multiple Sclerosis

## ***Therapy of day time fatigue in patients with multiple sclerosis***

Zifko UA.; Sonderkrankenanstalt für Neurologie, Klinik Pirawarth, Kurhausstrasse 100, A-2222 Bad Pirawarth, Austria.

## ***Effects of a Pulsed Electro-Magnetic therapy on multiple sclerosis fatigue and quality of life: a doubleblind, placebo controlled trial***

Lappin MS, Lawrie FW, Richards TL, Kramer ED. Energy Medicine Developments, (North America), Inc., Burke, Va., USA.

## ***Effect of extremely low frequency (correction of frequency) magnetic field on brain ischemic reaction in rats***

Zhao L, Wei J, Yan G, Wang Y, Huang Z, Zhao D.; Institute of Space Medico- Engineering, Beijing, China.

## ***Theory of multi channel magnetic stimulation: toward functional neuromuscular rehabilitation***

Ruohonen J, Ravazzani P, Grandori F, Ilmoniemi RJ.; BioMag Laboratory, Helsinki University Central Hospital, Finland.

**TeslaFit**

Proven intensities. Rapid results.

# Nerve Repair

## ***Pre-treatment of rats with Pulsed Electro-Magnetic Fields enhances regeneration of the sciatic nerve***

Kanje M, Rusovan A, Sicken B, Lundborg G. Department of Animal Physiology, University of Lund, Sweden.

## ***An experimental study of the effects of Pulsed Electro-Magnetic Field (Diapulse) on nerve repair***

Raji AM.

## ***Effect of weak, Pulsing Electro-Magnetic Fields on neural regeneration in the rat***

Ito H, Bassett CA.

## ***Effect of Pulsed Electro-Magnetic stimulation on facial nerve regeneration***

Byers JM, Clark KF, Thompson GC. Department of Otorhinolaryngology, University of Oklahoma Health Sciences Center, Oklahoma City, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Nerve Repair

***A comparative study of the effects of magnetic stimulation and electric stimulation on peripheral nerve injury in rat***

Bannaga A, Guo T, Ouyang X, Hu D, Lin C, Cao F, Dun Y, Guo Z. Department of Orthopedic Surgery, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030.

***Electro-Magnetic Fields influence NGF activity and levels following sciatic nerve transection***

Longo FM, Yang T, Hamilton S, Hyde JF, Walker J, Jennes L, Stach R, Sicken BF. Department of Neurology, UCSF/VAMC, San Francisco, California, USA.

***Enhancement of functional recovery following a crush lesion to the rat sciatic nerve by exposure to Pulsed Electro- Magnetic Fields***

Walker JL, Evans JM, Resig P, Guarnieri S, Meade P, Sicken BS. Division of Orthopaedic Surgery, University of Kentucky College of Medicine, Shriners Hospitals for Crippled Children, Lexington.

***Stimulation of rat sciatic nerve regeneration with Pulsed Electro-Magnetic Fields***

Sicken BF, Kanje M, Lundborg G, Herbst E, Kurtz W. Center for Biomedical Engineering, University of Kentucky, Lexington 40506.

**TeslaFit**

Proven intensities. Rapid results.

# Nerve Repair

***Effects of high-peak Pulsed Electro- Magnetic Field on the degeneration and regeneration of the common peroneal nerve in rats***

Raji AR, Bowden RE.

***A multivariate approach to the treatment of peripheral nerve transection injury: the role of electromagnetic Field Therapy***

Zienowicz RJ, Thomas BA, Kurtz WH, Orgel MG. University of Massachusetts Medical School, Berkshire Medical Center, Pittsfield.

**TeslaFit**

Proven intensities. Rapid results.

# Nervous System

## ***Magnetic and electrical stimulation in the rehabilitative treatment of patients with organic lesions of the nervous system***

Tyshkevich TG, Nikitina VV; A. L. Polenov Russian Science Research Neurosurgical Institute, St. Petersburg.

## ***History of magnetic stimulation of the nervous system***

Geddes LA.; William A. Hillenbrand Biomedical Engineering Center, Purdue University, West Lafayette, Indiana 47907.

## ***Evaluation of treatment with a Pulsed Electro-Magnetic Field on wound healing, clinicopathologic variables, and central nervous system activity of dogs***

Scardino MS, Swaim SF, Sartin EA, Steiss JE, Spano JS, Hoffman CE, Coolman SL, Peppin BL. Scott-Ritchey Research Center, College of Veterinary Medicine, Auburn University, AL 36849, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Neuropathy

***Pulsed magnetic field therapy in refractory neuropathic pain secondary to peripheral neuropathy:  
Electro-diagnostic parameters—pilot study***

Weintraub MI, Cole SP. New York Medical College, Briarcliff Manor, New York 10510, USA

**TeslaFit**

Proven intensities. Rapid results.



# Osteoporosis

## ***The effect of long-term pulsing electro-magnetic field stimulation on experimental osteoporosis of rats***

Mishima S. Department of Orthopedic Surgery, School of Medicine, University of Occupational and Environmental Health, Kitakyushu, Japan.

## ***Pulsed Electro-Magnetic Fields prevent osteoporosis in an ovariectomized female rat model: a prostaglandin E2- associated process***

Chang K, Chang WH. Department of Biomedical Engineering, Chung-Yuan Christian University, Chung-Li, Taiwan, Republic of China.

## ***Bone density changes in osteoporosisprone women exposed to Pulsed Electro-Magnetic Fields (PEMFs)***

Tabrah F, Hoffmeier M, Gilbert F Jr, Batkin S, Bassett CA. University of Hawaii School of Medicine, Straub Clinic and Hospital, Honolulu.

**TeslaFit**

Proven intensities. Rapid results.

# Pain

## ***Evaluation of electro-magnetic fields in the treatment of pain in patients with lumbar radiculopathy or the whiplash syndrome***

Thuile Ch, Walzl M., International Society of Energy Medicine, Vienna, Austria.

## ***Pain management and electro-magnetic medicine***

Ouellette EA., University of Miami School of Medicine, Department of Orthopaedics and Rehabilitation, Florida, USA.

## ***Electrochemical therapy of pelvic pain: effects of Pulsed Electro-Magnetic Fields (PEMF) on tissue trauma***

Jorgensen WA, Frome BM, Wallach C. International Pain Research Institute, Los Angeles, California.

## ***Spine fusion for discogenic low back pain: outcomes in patients treated with or without Pulsed Electro-Magnetic Field stimulation***

Marks RA. Richardson Orthopaedic Surgery, Texas 75080, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Pain

***Pulsed magnetic field therapy in refractory neuropathic pain secondary to peripheral neuropathy: electrodiagnostic parameter—pilot study***

Weintraub MI, Cole SP. New York Medical College, Briarcliff Manor, New York 10510, USA.

**TeslaFit**

Proven intensities. Rapid results.

# Parkinson's Disease

## ***Magnetic fields in the treatment of Parkinson's disease***

Sandyk R, Anninos PA, Tsagas N, Derpapas K. Democriton University of Thrace, Department of Medical Physics and Polytechnic School, Alexandroupolis and Xanthi, Greece.

**TeslaFit**

Proven intensities. Rapid results.

# Pelvic Pain

***Electrochemical therapy of pelvic pain: effects of Pulsed Electro-Magnetic Fields (PEMF) on tissue trauma***  
Jorgensen WA, Frome BM, Wallach C. International Pain Research Institute, Los Angeles, California.

**TeslaFit**

Proven intensities. Rapid results.

# Range of Motion

***The effect of Pulsed Electro-Magnetic Fields in the treatment of cervical osteoarthritis: a randomized, double-blind, sham-controlled trial***

Ankara Physical Medicine and Rehabilitation Education and Research Hospital, Turk ocagi S No: 3  
Sihhiye, Ankara, Turkey.

***Therapy with Pulsed Electro-Magnetic Fields in aseptic loosening of total hip prostheses: a prospective study***

Országos Reumatológiai és Fizioterápiás Intézet, Budapes, Hungary.

**TeslaFit**

Proven intensities. Rapid results.

# Tendonitis

***Pulsed magnetic and electro-magnetic fields in experimental achilles tendonitis in the rat: a prospective randomized study***

Department of Orthopaedics and Traumatology, Chinese University of Hong Kong, Prince of Wales Hospital, Shatin, New Territories, Hong Kong.

***Pulsed Electro-Magnetic Field therapy of persistent rotator cuff tendonitis. A double-blind controlled assessment***

Binder A, Parr G, Hazleman B, Fitton- Jackson S.

***The effect of Pulsed Electro-Magnetic Fields on flexor tendon healing in chickens***

Robotti E, Zimble AG, Kenna D, Grossman JA. Miami Children's Hospital, USA.

***Pulsed magnetic and electro-magnetic fields in experimental achilles tendonitis in the rat: a prospective randomized study***

Lee EW, Maffulli N, Li CK, Chan KM. Department of Orthopaedics and Traumatology, Chinese University of Hong Kong, Prince of Wales Hospital, Shatin, New Territories, Hong Kong

**TeslaFit**

Proven intensities. Rapid results.

# Ulcers

***A portable Pulsed Electro-Magnetic Field (PEMF) device to enhance healing of recalcitrant venous ulcers: a double-blind, placebo-controlled clinical trial***

Ronald O. Perelman Department of Dermatology, New York University Medical Center, New York.

***Treatment of chronic varicose ulcers with Pulsed Electro-Magnetic Fields: a controlled pilot study***

Department of Dermatology, Belfast City Hospital.

**TeslaFit**

Proven intensities. Rapid results.



# Vision

***The effect of a Pulsed Electro-Magnetic Field on the hemodynamics of eyes with glaucoma***

[Article in Russian] Tsel'skii IuV, Kashintseva LT, Skrinnik AV.

***Effectiveness of magnetotherapy in optic nerve atrophy. A preliminary study***

[Article in Russian] Zobina LV, Orlovskaja LS, Sokov SL, Sabaeva GF, Konde LA, Iakovlev AA.

***Possibilities of magnetotherapy in stabilization of visual function in patients with glaucoma***

[Article in Russian] Bisvas Shutanto Kumar, Listopadova NA.

**TeslaFit**

Proven intensities. Rapid results.



# TeslaFit

Proven intensities. Rapid results.



- ✓ Personal Use
- ✓ Up to 200 Gauss
- ✓ Light Wearable Applicators

[FlexPulse.com](http://FlexPulse.com)



- ✓ Professional & Clinical Use
- ✓ Up to 10,000 Gauss
- ✓ 6 Applicators

[TeslaFit.com](http://TeslaFit.com)



- ✓ Home or Clinic
- ✓ Up to 15 Gauss
- ✓ Mat & Pillow applicators

[BioBalancePEMF.com](http://BioBalancePEMF.com)

# How Professionals Should Use the TeslaFit

- ✓ Assess the user's needs, start low and slowly increase amplitude after checking the reactions.
- ✓ For high-intensity or in-clinic treatments, use the TeslaFit
- ✓ TeslaFit PEMF systems are versatile, the minimum application power is 150 Gauss and can be applied at further lower power by placing the applicator at a distance from the user's body.
- ✓ Make sure you have thoroughly read the user manuals and attended the first consultation call after obtaining the product
- ✓ Consider renting and recommending the FlexPulse and BioBalance to your clients. These systems are great for long-term and slower healing. Reach out to us if you're interested to become an affiliate or a reseller for any of our products.

**TeslaFit**

Proven intensities. Rapid results.